

UNI+



ECONOMY ♦ EXCELLENCE ♦ ETHICS

UNI+

COLOUR
BALANCE
MAKES THE
DIFFERENCE

UNBELIEVABLE SURFACES
by Merino

Disclaimer

“ For Visual representation only. Design Range & Finishes are subject to change without prior notice. Actual Design & Color may vary when viewed in digital format. Please contact your nearest Merino Dealer / Merino Team for order fulfillment”

INDEX



◆ About Merino >

◆ About UNI >

◆ Composition / Features >

◆ Applications >

◆ Product Range >

◆ Technical Data >


◆ Warranty >



ECONOMY ♦ EXCELLENCE ♦ ETHICS

ABOUT MERINO


The Merino Group is a leading player in the laminates and panel industry. The first product was plywood, launched in 1974 and later it spread its wings into high-pressure decorative laminates in 1981. The Group has diverse business interests expanding into Interior Architectural Products, Information Technology and Food & Agro business. Over 4000 employees, 5 production units and multiple allied surface solutions having endless design possibilities are what ensure a consistent range of superior quality products and the Group's continuous significant growth in the challenging market scenario. With innovation and perfection at its core, Merino commits to the highest manufacturing standards with a strong customer support.



CERTIFICATIONS



Un-DIVIDED COMPOSITION



The core comprises of the same colour paper as the top which is impregnated with Amino Resin and is sanded on the reverse side. The top décor paper has Melamine Resin that provides resistance to damage.

Un-DIVIDED FEATURES

EDGELESS
COLOUR FINISH

HIGH
ABRASION
RESISTANT

DRY HEAT
RESISTANT

HIGHLY
DECORATIVE

COLOUR
FAST

STAIN
RESISTANT



EDGELESS 
COLOUR FINISH

Image shown are for reference. Actual product may vary

THE *Un*-DIVIDED UNICOLOUR (UNI+)

Seamless edge laminates.

UNI+ series comes in a unique combination of high-quality decorative laminates and homogenous solid colour. The uniformity in colour of the core and the top makes it an ideal choice for tabletops, countertops and more. The consistent look lets the beauty of solid colours flow seamlessly.

The undivided finesse of the décor is a work of art in the world of laminates.

21069
Silver Grey

"Image shown are for reference. Actual product may vary"

Un-DIVIDED APPLICATION
For both horizontal and vertical surfaces.



21057
Marigold



Kitchen

"Image shown as reference. Actual product may vary"



21066
Black

Display Shelves

*Image shown are for reference. Actual product may vary

Delivering Oven - Baked Goodness
Since 1960

21065
Champagne

Bar & Lounge Areas

"Image shown are for reference. Actual product may vary"



Kids Room

21091
Frosty White

"Image shown are for reference. Actual product may vary"



Reception & Conference Rooms

"Image shown are for reference..Actual product may vary"

Un-DIVIDED SECTORS

Merino Unicolour UNI+ is made for an aesthetic appeal with seamless edge. The core and the top colour consistency gives a unique grace to the décor.

This is why Merino Unicolour UNI+ can be used in sectors like – premium residential, commercial, retail and wellness centres.

Premium Residential

21481
White Lily

"Image shown are for reference, Actual product may vary"



Healthcare

"Image shown are for reference. Actual product may vary"



21055
Shangrila

Retail

"Image shown are for reference. Actual product may vary"




21481
White Lily


Commercial

"Image shown are for reference, Actual product may vary"


Un-DIVIDED RANGE – UNI+



21481 UNI+ White Lily



21091 UNI+ Frosty White



21187 UNI+ Champagne




21069 UNI+ Silver Grey



21057 UNI+ Marigold



21065 UNI+ Cardinal



21066 UNI+ Black



21481
White Lily


"Image shown are for reference, Actual product may vary"

UNI+

UNI+ is a unique combination of high quality Merino decorative laminates and homogenous solid colour. The uniform colour of the laminate makes it ideal for tabletops, countertops and more.

Get rid of black edges with unique range of homogeneous solid colours, having the same colour of decorative surfaces and core layers, giving perfect uniformity in look and design.

Merino UNI+ Unicolour Laminates also Comes with MR+ properties give excellent Mar resistance. Therefore it can maintain the gloss level three times longer than ordinary High Gloss Laminates. Lab result shows 95% gloss retention after being scrubbed with calibrate as per procedure defined by ATSM D6037- 96(Reapproved in 2008)



**ABRASION
RESISTANT**


AESTHETICS

**MAR
RESISTANT**

**COLOUR
FAST**

**DRY
HEAT
RESISTANT**


**STAIN
RESISTANT**




CHARACTERISTIC	DESCRIPTION
Thickness	≥1mm in std. grade
Sheet Size	8 ft x 4 ft
Surface Finish	• 1 MR+ Tough Gloss • 2 Suede

Disclaimer: The unicolor is provided in selected range: 21481, 21091, 21187, 21065, 21069, 21057 & 21066


Un-DIVIDED RANGE – UNI MR+




21481 UNI+ White Lily



21091 UNI+ Frosty White



21187 UNI+ Champagne




21069 UNI+ Silver Grey



21057 UNI+ Marigold



21065 UNI+ Cardinal



21066 UNI+ Black



AVAILABILITY MATRIX

Product	Thickness	Sizes in feet	Finishes	Designs
UNI	1 mm	4 X 8, 4 X 10	Tuff Gloss MR+ and Suede	14 designs

* For more information visit our website

Available Standard Sizes (mm) width X length

S. No	Finishes	Abbreviation	1220 x 2440 (4ft X 8 ft)	1220 x 3050 (4ft X 10 ft)
1	Tuff gloss	MR+	Y	Y
2	Suede	SF	Y	Y

Test Values of Merino Unicolour (UNI+) Laminate as per (IS:2046)

Thickness :1.00mm

Properties		Test Method as per IS:2046	Test Result as per IS: 2046	Test Result of MERINO
Length & Width Tolerance		5.4.6	+10 mm - 0 mm	+10 mm - 0 mm
Thickness Tolerance		5.3	±0.10	±0.05
Resistance to Surface wear (Revolution Minimum)		C	≥350	>1000
Resistance to immersion in Boiling water	Increase in Thickness	D	≤ 12 %	<6.25 %
	Increase in Mass		≤ 10 %	<5.75 %
Resistance to Dry Heat at 180°C Appearance (Grade not worse Than)	Gloss	E	3	4
	Others		4	4
Dimensional Stability at elevated temp. (Max. %)	Machine Direction	F	≤ 0.55%	<0.35
	Cross Direction		≤ 1.05%	<0.55
Resistance to Impact by Small – Diameter Ball (Spring Force)		H	≥20N	22
Resistance to Scratching N (min)		L	≥2	>2
Resistance to Staining (Grade not Worse than)	Group 1 & 2	M	5	5
	Group 3 & 4		4	4
Resistance to Color change In Xenon arc Light (min)		N	6 (Wool Standard)	6 (Wool Standard)
Resistance to Cigarette Burns Appearance (Grade not Worse than)		P	3	3
Resistance to Steam Appearance (Grade not Worse than)		T	4	4

Limited Warranty

Merino Industries Limited & Merino Panel Product Ltd. warrant that, under normal use & service, the material & workmanship of their products shall confirm to the standards set forth on the applicable technical data sheet for a period of limited lifetime warranty from the date of sale to the first consumer purchaser. Dealers & distributors are provided with the technical data sheets, which contain specific standards of performance of the product. In the event that a Merino Industries Limited or a Merino Panel Product Limited product does not perform as warranted, the first purchaser's sole remedy shall be limited to repair or replacement of all or any part of the product, which is defective, at the manufacturer's sole discretion. This warranty is not transferable, and expires upon resale or transfer by first purchaser. This warranty shall not apply to defects or damage arising from any of the following: Accidents, abuse or misuse, exposure to extreme temperature, improper fabrication or installation, improper maintenance. No other warranties, expressed or implied, are made. Under no circumstances shall the manufacturer be liable for any loss or damage arising from the purchase, use, or inability to use the product, or for any special, indirect, incidental, or consequential damages.No fabricator, installer, dealer, agent or employee of Merino Industries Limited and Merino Panel Product Limited has the authority to modify the obligation or limitation of this warranty.

MERINO INDUSTRIES LTD.

INDIA: P: +91 11 45557000 **E:** merinodelhi@merinoindia.com

AMERICAS: P: +1 305-456-1913 **E:** merinousa@merinoindia.com

THAILAND: P: +66 20412188 **E:** merinothailand@merinoindia.com

UAE: E: merinouae@merinoindia.com

W : www.merinolaminates.com



ECONOMY • EXCELLENCE • ETHICS